

# HTML 5 치트 시트(Cheat Sheet) PDF

---

# HTML 5

Tag	Info	V	Attributes*	Tag	Info	V	Attributes*	Tag	Info	V	Attributes*
<!-- -->	comment	4/5	none	<embed>	external interactive content or plugin	5	height   src   type   width	<col>	ordered list	4/5	start
<!DOCTYPE>	document type	4/5	none	<eventsource>	target for events sent by a server	5	src	<optgroup>	option group	4/5	disabled   label
<a>	hyperlink	4/5	href   hreflang   media   ping   rel   target   type	<fieldset>	fieldset	4/5	disabled   form	<option>	option in a drop-down list	4/5	disabled   label   selected   value
<abbr>	abbreviation	4/5	standard attributes**	<figure>	group of media content, and their caption	5	standard attributes**	<output>	some types of output	5	form
<acronym>	acronym	4	-	<font>	text font, size, and color	4	-	<p>	paragraph	4/5	standard attributes**
<address>	address element	4/5	standard attributes**	<footer>	footer for a section or page	5	standard attributes**	<param>	parameter for an object	4/5	name   value
<applet>	applet	4	-	<form>	form	4/5	action   data   replace   accept   accept-charset   enctype   method   target	<pre>	preformatted text	4/5	standard attributes**
<area>	area inside an image map	4/5	alt   coords   href   hreflang   media   ping   rel   shape   target   type	<iframe>	sub window	4	-	<progress>	progress of a task of any kind	5	max   value
<article>	article	5	standard attributes**	<frameset>	set of frames	4	-	<q>	short quotation	4/5	cite
<aside>	content along side from the page content	5	standard attributes**	<h1> to <h6>	header 1 to header 6	4/5	standard attributes**	<ruby>	ruby annotations	5	standard attributes**
<audio>	sound content	5	autoplay   controls   end   loopend   loopstart   playlist   src   start	<head>	information about the document	4/5	none	<rp>	provide parentheses around a ruby text	5	standard attributes**
<b>	bold text	4/5	standard attributes**	<header>	header for a section or page	5	standard attributes**	<rt>	ruby text component	5	standard attributes**
<base>	base URL for all the page links	4/5	href   target	<hr>	horizontal rule	4/5	standard attributes**	<rule>	the rules for updating a template	5	condition   mode
<basefont>	Base font for the document	4	-	<html>	html document	4/5	manifest   xmlns	<s>	strikethrough text	4	-
<bdo>	direction of text display	4/5	dir	<i>	italic text	4/5	standard attributes**	<samp>	sample computer code	4/5	standard attributes**
<big>	big text	4	-	<iframe>	inline sub window (frame)	4/5	src	<script>	script	4/5	async   type   defer   src
<blockquote>	long quotation	4/5	cite	<img>	image	4/5	alt   src   height   srcset   usemap   vspace   width	<section>	section	5	standard attributes**
<body>	body element	4/5	standard attributes**	<input>	input field	4/5	accept   alt   autocomplete   autofocus   checked   disabled   form   formnovalidate   list   max   maxlength   min   name   pattern   readonly   replace   required   src   step   template   type   value	<select>	selectable list	4/5	autofocus   data   disabled   form   multiple   name
 	inserts a single line break	4/5	standard attributes**	<ins>	inserted text	4/5	cite   datetime	<small>	small text	4/5	standard attributes**
<button>	push button	4/5	autofocus   disabled   name   type   value	<index>	single-line input field	4	-	<source>	media resources	5	media   src   type
<canvas>	Graphic area	5	height   width	<kbd>	keyboard text	4/5	standard attributes**	<span>	inline section	4/5	standard attributes**
<caption>	table caption	4/5	align	<label>	label for a form control	4/5	for	<strike>	strikethrough text	4	-
<center>	centered text	4	-	<legend>	fieldset title	4/5	standard attributes**	<strong>	strong text	4/5	standard attributes**
<cite>	citation	4/5	standard attributes**	<li>	list item	4/5	value	<style>	style definition	4/5	media   type   scoped
<code>	computer code text	4/5	standard attributes**	<link>	resource reference	4/5	href   hreflang   media   rel   type	<sub>	subscripted text	4/5	standard attributes**
<col>	attributes for table columns	4/5	span	<map>	image map	4/5	id	<sup>	superscripted text	4/5	standard attributes**
<colgroup>	groups of table columns	4/5	span	<mark>	marked text	5	standard attributes**	<table>	table	4/5	standard attributes**
<command>	command button	5	checked   default   disabled   hidden   icon   label   radiogroup   type	<menu>	menu list	4/5	autosubmit   label   type	<tbody>	table body	4/5	standard attributes**
<datagrid>	data in a tree-list	5	disabled   multiple	<meta>	meta information	4/5	charset   content   http-equiv   name	<td>	table cell	4/5	colspan   rowspan
<datalist>	dropdown list	5	data	<meter>	measurement within a pre-defined range	5	high   low   max   min   optimum   value	<textarea>	text area	4/5	autofocus   cols   disabled   form   inputmode   name   readonly   required   rows
<datatemplate>	data template	5	standard attributes**	<nave>	navigation links	5	standard attributes**	<tfoot>	table footer	4/5	standard attributes**
<dd>	definition description	4/5	standard attributes**	<nav>	navigation links	5	filter   mode	<th>	table header	4/5	colspan   rowspan   scope
<del>	deleted text	4/5	cite   datetime	<nest>	nesting point in a data template	5	filter   mode	<thead>	table header	4/5	standard attributes**
<details>	details of an element	5	open	<noframes>	noframe section	4	-	<time>	date/time	5	datetime
<dialog>	dialog (conversation)	5	standard attributes**	<noscript>	noscript section	4/5	none	<title>	document title	4/5	none
<dir>	directory list	4	-	<object>	embedded object	4/5	data   height   type   usemap   width	<tr>	table row	4/5	standard attributes**
<div>	section in a document	4/5	standard attributes**					<tt>	teletype text	4	-
<dfn>	definition term	4/5	standard attributes**					<u>	underlined text	4	-
<dl>	definition list	4/5	standard attributes**					<ul>	unordered list	4/5	standard attributes**
<dt>	definition term	4/5	standard attributes**					<var>	variable	4/5	standard attributes**
<em>	emphasized	4/5	standard attributes**					<video>	video	5	autoplay   controls   end   height   loopend   loopstart   playlist   poster   src   start   width
								<xmp>	preformatted text	4	-

V = Which version of HTML is this tag valid for  
Tags with a Grey background are no longer supported in HTML 5

\* Attributes: Lists attributes specific to that tag. Deprecated (html4 only) attributes are not listed  
\*\* Standard Attributes: class | contenteditable | contextmenu | dir | draggable | id | irrelevant | lang | ref | registrationmark | tabindex |

Veign.com에서 [HTML 5 레퍼런스\(Reference\)](#)를 일목요연하게 참조할 수

있도록 한 페이지에 정리한 **PDE** 파일을 공개했습니다. 변동사항이 생기면 문서의 지속적인 업데이트까지 약속했습니다. 멋지네요!